REPORT CONTEXT

FACILITY	SCOPE	REPORT PERIOD	GENERATED	PREPARED BY
Murphy	**4 sensors · 1 station**	**2026.11.09 00:00 – 2026.11.16 00:00 (UTC-08:00)**	**2026.11.17**	**colleen.nowell@ebresources.com**

Report summary


AI-generated · Report-wide overview

The individual sensor report for equipment SL052301 at the Murphy facility monitors Hydrogen Sulfide (H2S), Sulfur Dioxide (SO2), Total VOC - PID (TVOC), and Sound Intensity Level - Class II. Each sensor collected 169 data points, showing no exceedances of regulatory goals, with air quality indexes remaining low and stable. Several flatline events were recorded, primarily on H2S and TVOC sensors, all justified except for one SO2 spike and sound level spikes.

- Hydrogen Sulfide (H2S) readings mostly remained at or near zero ppm with a maximum daily peak up to 0.002 ppm and no exceedances.
- Sulfur Dioxide (SO2) levels ranged up to 0.034 ppm with target averages between 0.014 and 0.024 ppm but had no exceedances despite one un-justified spike event.
- Total VOC (TVOC) maximum levels per day ranged up to 0.003 ppm with average goals near zero ppm; flatline sensor events were justified and frequent.
- Sound Intensity Level exhibited daily minimums around 56 dBA and maximums reaching 65.6 dBA with no exceedances; two spike events remain unjustified.
- No significant trends were observed in any pollutant or sound measurements throughout the report period.

Site conditions — wind

Facility-level · shown once



Prevailing direction · South **Avg speed** · 1 m/s

0–2 m/s 2–4 m/s 4–6 m/s 6–8 m/s 8+ m/s

Wind is reported at the facility level for the whole period. When the payload carries no wind layer this section is omitted entirely and the roster reflows upward — no empty placeholder.

Sensor roster

One row per sensor record

SENSOR	PARAMETER	EQUIPMENT	ALARM COND.	EXC.	EVENTS	SCHEME	STATUS
5546	Concentration	SL052301	N/A	0	8	AQI	Normal
5549	Concentration	SL052301	N/A	0	1	AQI	Normal
5556	Concentration	SL052301	N/A	0	72	AQI	Normal
5594	Concentration	SL052301	N/A	0	2	—	Normal

All 4 sensor records in this report. Rows use existing dataset statuses only — no aggregate health score is synthesised.

Hydrogen Sulfide

Sensor 5546 · Concentration · ppm

SL052301

SENSOR DETAIL & KEY METRICS

EQUIP. NAME	EQUIPMENT ID	SENSOR ID
SL052301	**SL052301**	**5546**
PARAMETER	UNIT	LAST CALIBRATION
Concentration	**ppm**	**N/A**

EXCEEDANCES	EXCEEDED TIME	ALARM CONDITION	CONNECTED EVENTS
0	**0%**	**N/A**	**8**

Air quality — Standard AQI

Resolved scheme · Standard AQI




Standard AQI colours are used for this sensor. All six categories are shown; bands with no readings are dimmed but retained.

Good	**168 · 100.0%**	Moderate	**0 · 0.0%**
Sensitive	**0 · 0.0%**	Unhealthy	**0 · 0.0%**
Very Unhealthy	**0 · 0.0%**	Hazardous	**0 · 0.0%**

Concentration trend

Primary visual · full width



DATA TREND

No significant trend. Data trend shows no significant trend




Hydrogen Sulfide · Sensor 5546 — supporting analysis (continued)


Distribution analysis

Stacked full width

Concentration histogram — share of readings per concentration bin (ppm)



Daily distribution — daily min–max range with mean (ppm)



Hydrogen Sulfide · Sensor 5546 — connected events (continued)

CONNECTED EVENTS

DATE & TIME	TYPE	NOTES	JUSTIFICATION	OCCURRENCES
Nov 8, 19:00 – Nov 9, 14:34	flatline	flatline detected on H2S-10 sensor for equipment: SL052301	Justified	1171
Nov 9, 14:37 – Nov 9, 17:04	flatline	flatline detected on H2S-10 sensor for equipment: SL052301	Justified	123
Nov 9, 17:29 – Nov 10, 10:10	flatline	flatline detected on H2S-10 sensor for equipment: SL052301	Justified	994
Nov 10, 10:12 – Nov 11, 05:46	flatline	flatline detected on H2S-10 sensor for equipment: SL052301	Justified	1181
Nov 11, 05:48 – Nov 12, 09:39	flatline	flatline detected on H2S-10 sensor for equipment: SL052301	Justified	1692
Nov 12, 10:48 – Nov 12, 20:59	flatline	flatline detected on H2S-10 sensor for equipment: SL052301	Justified	595
Nov 12, 21:01 – Nov 13, 19:15	flatline	flatline detected on H2S-10 sensor for equipment: SL052301	Justified	1292
Nov 13, 19:30 – Nov 16, 03:24	flatline	flatline detected on H2S-10 sensor for equipment: SL052301	Justified	3392

Sulfur Dioxide

Sensor 5549 · Concentration · ppm

SL052301

SENSOR DETAIL & KEY METRICS

EQUIP. NAME	EQUIPMENT ID	SENSOR ID
SL052301	**SL052301**	**5549**
PARAMETER	UNIT	LAST CALIBRATION
Concentration	**ppm**	**N/A**

EXCEEDANCES	EXCEEDED TIME	ALARM CONDITION	CONNECTED EVENTS
0	**0%**	**N/A**	**1**

Air quality — Standard AQI

Resolved scheme · Standard AQI




Standard AQI colours are used for this sensor. All six categories are shown; bands with no readings are dimmed but retained.

Good	**168 · 100.0%**	Moderate	**0 · 0.0%**
Sensitive	**0 · 0.0%**	Unhealthy	**0 · 0.0%**
Very Unhealthy	**0 · 0.0%**	Hazardous	**0 · 0.0%**

Concentration trend


Primary visual · full width

Concentration (ppm) · reporting window



DATA TREND

No significant trend. Data trend shows no significant trend




Sulfur Dioxide · Sensor 5549 — supporting analysis (continued)


Distribution analysis

Stacked full width

Concentration histogram — share of readings per concentration bin (ppm)



Daily distribution — daily min–max range with mean (ppm)



CONNECTED EVENTS

DATE & TIME	TYPE	NOTES	JUSTIFICATION	OCCURRENCES
Nov 10, 10:11 – Nov 10, 10:11	spike	spike detected on SO2-20 sensor for equipment: SL052301	Not Yet Justified	1

Total VOC - PID

Sensor 5556 · Concentration · ppm

SL052301

SENSOR DETAIL & KEY METRICS

EQUIP. NAME	EQUIPMENT ID	SENSOR ID
SL052301	**SL052301**	**5556**
PARAMETER	UNIT	LAST CALIBRATION
Concentration	**ppm**	**2023.08.08**

EXCEEDANCES	EXCEEDED TIME	ALARM CONDITION	CONNECTED EVENTS
0	**0%**	**N/A**	**72**

Air quality — Standard AQI

Resolved scheme · Standard AQI




Standard AQI colours are used for this sensor. All six categories are shown; bands with no readings are dimmed but retained.

Good	**168 · 100.0%**	Moderate	**0 · 0.0%**
Sensitive	**0 · 0.0%**	Unhealthy	**0 · 0.0%**
Very Unhealthy	**0 · 0.0%**	Hazardous	**0 · 0.0%**

Concentration trend

Primary visual · full width



DATA TREND

No significant trend. Data trend shows no significant trend




Total VOC - PID · Sensor 5556 — supporting analysis (continued)


Distribution analysis

Stacked full width

Concentration histogram — share of readings per concentration bin (ppm)



Daily distribution — daily min–max range with mean (ppm)



Total VOC - PID · Sensor 5556 — connected events (continued)

CONNECTED EVENTS

DATE & TIME	TYPE	NOTES	JUSTIFICATION	OCCURRENCES
Nov 8, 23:40 – Nov 9, 01:15	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	70
Nov 9, 01:17 – Nov 9, 02:17	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	33
Nov 9, 02:19 – Nov 9, 03:32	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	47
Nov 9, 03:34 – Nov 9, 04:32	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	32
Nov 9, 04:34 – Nov 9, 05:31	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	31
Nov 9, 05:33 – Nov 9, 06:09	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	9
Nov 9, 07:01 – Nov 9, 08:09	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	37
Nov 9, 08:11 – Nov 9, 09:34	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	58
Nov 9, 09:36 – Nov 9, 10:09	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	6
Nov 9, 10:11 – Nov 9, 19:10	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	526
Nov 9, 20:09 – Nov 9, 21:04	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	28
Nov 9, 21:27 – Nov 9, 22:26	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	32
Nov 9, 23:00 – Nov 10, 00:01	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	34
Nov 10, 00:42 – Nov 10, 03:04	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	118
Nov 10, 04:33 – Nov 10, 05:02	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	2

Total VOC - PID · Sensor 5556 — connected events (continued)

CONNECTED EVENTS · EVENTS 16–30 OF 72

DATE & TIME	TYPE	NOTES	JUSTIFICATION	OCCURRENCES
Nov 10, 05:29 – Nov 10, 05:57	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	1
Nov 10, 06:18 – Nov 10, 06:57	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	9
Nov 10, 07:39 – Nov 10, 19:12	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	680
Nov 10, 19:44 – Nov 10, 20:11	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	1
Nov 10, 20:29 – Nov 10, 21:02	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	5
Nov 10, 21:03 – Nov 10, 22:04	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	35
Nov 10, 22:25 – Nov 10, 23:38	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	47
Nov 10, 23:39 – Nov 11, 00:20	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	14
Nov 11, 00:43 – Nov 11, 01:12	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	2
Nov 11, 01:14 – Nov 11, 02:54	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	75
Nov 11, 02:56 – Nov 11, 03:26	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	3
Nov 11, 04:29 – Nov 11, 05:23	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	27
Nov 11, 06:16 – Nov 11, 07:08	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	26
Nov 11, 07:51 – Nov 11, 14:43	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	396
Nov 11, 14:45 – Nov 11, 16:58	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	110

Total VOC - PID · Sensor 5556 — connected events (continued)

CONNECTED EVENTS · EVENTS 31–45 OF 72

DATE & TIME	TYPE	NOTES	JUSTIFICATION	OCCURRENCES
Nov 11, 17:00 – Nov 11, 18:16	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	47
Nov 11, 18:46 – Nov 11, 21:24	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	133
Nov 11, 21:32 – Nov 11, 22:26	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	28
Nov 11, 23:01 – Nov 11, 23:37	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	9
Nov 12, 00:24 – Nov 12, 01:36	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	47
Nov 12, 01:38 – Nov 12, 03:19	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	76
Nov 12, 03:37 – Nov 12, 04:15	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	11
Nov 12, 05:21 – Nov 12, 06:16	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	29
Nov 12, 06:36 – Nov 12, 07:29	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	28
Nov 12, 07:37 – Nov 12, 09:39	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	98
Nov 12, 10:48 – Nov 12, 14:37	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	207
Nov 12, 15:32 – Nov 13, 03:48	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	728
Nov 13, 03:50 – Nov 13, 06:36	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	122
Nov 13, 06:39 – Nov 13, 18:38	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	686
Nov 13, 18:41 – Nov 13, 19:15	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	1

Total VOC - PID · Sensor 5556 — connected events (continued)

CONNECTED EVENTS · EVENTS 46–60 OF 72

DATE & TIME	TYPE	NOTES	JUSTIFICATION	OCCURRENCES
Nov 13, 19:30 – Nov 13, 20:12	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	8
Nov 14, 03:34 – Nov 14, 04:23	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	22
Nov 14, 04:49 – Nov 14, 05:18	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	2
Nov 14, 08:52 – Nov 14, 09:21	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	2
Nov 14, 09:26 – Nov 14, 10:08	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	16
Nov 14, 10:39 – Nov 14, 15:04	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	236
Nov 14, 15:06 – Nov 14, 15:49	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	16
Nov 14, 15:51 – Nov 14, 17:36	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	81
Nov 14, 18:12 – Nov 14, 18:49	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	10
Nov 14, 19:19 – Nov 14, 20:04	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	19
Nov 14, 20:12 – Nov 14, 20:41	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	2
Nov 14, 21:31 – Nov 14, 22:38	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	42
Nov 14, 22:40 – Nov 14, 23:32	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	26
Nov 14, 23:57 – Nov 15, 00:36	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	11
Nov 15, 01:04 – Nov 15, 01:36	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	4

Total VOC - PID · Sensor 5556 — connected events (continued)

CONNECTED EVENTS · EVENTS 61–72 OF 72

DATE & TIME	TYPE	NOTES	JUSTIFICATION	OCCURRENCES
Nov 15, 03:14 – Nov 15, 03:45	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	5
Nov 15, 04:28 – Nov 15, 04:58	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	4
Nov 15, 05:00 – Nov 15, 05:28	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	1
Nov 15, 08:08 – Nov 15, 09:32	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	59
Nov 15, 10:19 – Nov 15, 12:18	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	93
Nov 15, 12:22 – Nov 15, 13:06	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	17
Nov 15, 13:08 – Nov 15, 15:29	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	114
Nov 15, 15:31 – Nov 15, 16:59	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	61
Nov 15, 17:27 – Nov 15, 18:06	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	9
Nov 15, 18:21 – Nov 15, 19:34	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	47
Nov 15, 20:09 – Nov 15, 20:46	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	10
Nov 15, 20:59 – Nov 15, 21:39	flatline	flatline detected on TVOC-P-40 sensor for equipment: SL052301	Justified	13

Sound Intensity Level - Class II

Sensor 5594 · Concentration · dBA

SL052301

SENSOR DETAIL & KEY METRICS

EQUIP. NAME	EQUIPMENT ID	SENSOR ID
SL052301	**SL052301**	**5594**
PARAMETER	UNIT	LAST CALIBRATION
Concentration	**dBA**	**N/A**

EXCEEDANCES	EXCEEDED TIME	ALARM CONDITION	CONNECTED EVENTS
0	**0%**	**N/A**	**2**


Air quality — not available

No categorisation for this parameter

No air-quality categorisation applies to this parameter, so only the concentration series is shown.

Concentration trend

Primary visual · full width



DATA TREND

No significant trend. Data trend shows no significant trend




Sound Intensity Level - Class II · Sensor 5594 — supporting analysis (continued)


Distribution analysis

Stacked full width

Concentration histogram — share of readings per concentration bin (dBA)



Daily distribution — daily min–max range with mean (dBA)



CONNECTED EVENTS

DATE & TIME	TYPE	NOTES	JUSTIFICATION	OCCURRENCES
Nov 12, 13:04 – Nov 12, 13:06	spike	spike detected on SND-LVL-C2 sensor for equipment: SL052301	Not Yet Justified	3
Nov 15, 09:01 – Nov 15, 09:12	spike	spike detected on SND-LVL-C2 sensor for equipment: SL052301	Not Yet Justified	11

REPORT CONTEXT

FACILITY	SCOPE	REPORT PERIOD	GENERATED	PREPARED BY
Murphy	**4 sensors · 1 station**	**2026.11.09 00:00 – 2026.11.16 00:00 (UTC-08:00)**	**2026.11.17**	**colleen.nowell@ebresources.com**

Report summary

AI-generated · Report-wide overview

The individual sensor report for equipment SL052302 at the Murphy facility presents data for four sensors measuring Hydrogen Sulfide, Sulfur Dioxide, Total VOC - PID, and Sound Intensity Level - Class II. All sensors reported zero total readings and no exceedances over the monitoring period. The air quality index values remain at 0, indicating no pollution exceedances detected. The wind rose data shows wind predominantly from the South and West directions with an average speed of 1 m/s.

- Hydrogen Sulfide (H2S-10) sensor recorded a total of 0 ppm with zero exceedances.
- Sulfur Dioxide (SO2-20) sensor also recorded a total of 0 ppm with no exceedances.
- Total VOC - PID sensor reported 0 ppm total and no detected exceedances.
- Sound Intensity Level sensor showed no exceedances and zero total readings in dBA units.
- Wind conditions indicate predominant wind from South and West sectors with average speed of 1 m/s.

Sensor roster


One row per sensor record

SENSOR	PARAMETER	EQUIPMENT	ALARM COND.	EXC.	EVENTS	SCHEME	STATUS
5559	Concentration	SL052302	N/A	0	N/A	AQI	● **No data**
5562	Concentration	SL052302	N/A	0	N/A	AQI	● **No data**
5569	Concentration	SL052302	N/A	0	N/A	AQI	● **No data**
5595	Concentration	SL052302	N/A	0	N/A	—	● **No data**

All 4 sensor records in this report. Rows use existing dataset statuses only — no aggregate health score is synthesised.

Site conditions — wind

Facility-level · shown once



Prevailing direction · South **Avg speed** · 1 m/s

0–2 m/s 2–4 m/s 4–6 m/s 6–8 m/s 8+ m/s

Wind is reported at the facility level for the whole period. When the payload carries no wind layer this section is omitted entirely and the roster reflows upward — no empty placeholder.

Hydrogen Sulfide

Sensor 5559 · Concentration · ppm

SL052302

SENSOR DETAIL & KEY METRICS

EQUIP. NAME	EQUIPMENT ID	SENSOR ID
SL052302	**SL052302**	**5559**
PARAMETER	UNIT	LAST CALIBRATION
Concentration	**ppm**	**N/A**

EXCEEDANCES	EXCEEDED TIME	ALARM CONDITION	CONNECTED EVENTS
0	**N/A**	**N/A**	**0**

Air quality — Standard AQI

Resolved scheme · Standard AQI

Standard AQI colours are used for this sensor. All six categories are shown; bands with no readings are dimmed but retained.

Good	0 · 0.0%	Moderate	0 · 0.0%
Sensitive	0 · 0.0%	Unhealthy	0 · 0.0%
Very Unhealthy	0 · 0.0%	Hazardous	0 · 0.0%

Concentration trend

Primary visual · full width



DATA TREND

Trend unavailable. Trend not available

Hydrogen Sulfide · Sensor 5559 — supporting analysis (continued)

Distribution analysis

Stacked full width

Concentration histogram — share of readings per concentration bin (ppm)

Insufficient data to calculate a concentration distribution.

Daily distribution — daily min–max range with mean (ppm)

Insufficient data to calculate daily ranges.

CONNECTED EVENTS

- No connected events were recorded in this report period.

Sulfur Dioxide

Sensor 5562 · Concentration · ppm

SL052302

SENSOR DETAIL & KEY METRICS

EQUIP. NAME	EQUIPMENT ID	SENSOR ID
SL052302	**SL052302**	**5562**
PARAMETER	UNIT	LAST CALIBRATION
Concentration	**ppm**	**N/A**

EXCEEDANCES	EXCEEDED TIME	ALARM CONDITION	CONNECTED EVENTS
0	**N/A**	**N/A**	**0**

Air quality — Standard AQI

Resolved scheme · Standard AQI

Standard AQI colours are used for this sensor. All six categories are shown; bands with no readings are dimmed but retained.

Good	0 · 0.0%	Moderate	0 · 0.0%
Sensitive	0 · 0.0%	Unhealthy	0 · 0.0%
Very Unhealthy	0 · 0.0%	Hazardous	0 · 0.0%

Concentration trend

Primary visual · full width



DATA TREND

Trend unavailable. Trend not available

Sulfur Dioxide · Sensor 5562 — supporting analysis (continued)

Distribution analysis

Stacked full width

Concentration histogram — share of readings per concentration bin (ppm)

Insufficient data to calculate a concentration distribution.

Daily distribution — daily min–max range with mean (ppm)

Insufficient data to calculate daily ranges.

CONNECTED EVENTS

- No connected events were recorded in this report period.

Total VOC - PID

Sensor 5569 · Concentration · ppm

SL052302

SENSOR DETAIL & KEY METRICS

EQUIP. NAME	EQUIPMENT ID	SENSOR ID
SL052302	**SL052302**	**5569**
PARAMETER	UNIT	LAST CALIBRATION
Concentration	**ppm**	**2023.08.08**

EXCEEDANCES	EXCEEDED TIME	ALARM CONDITION	CONNECTED EVENTS
0	**N/A**	**N/A**	**0**

Air quality — Standard AQI

Resolved scheme · Standard AQI

Standard AQI colours are used for this sensor. All six categories are shown; bands with no readings are dimmed but retained.

Good	0 · 0.0%	Moderate	0 · 0.0%
Sensitive	0 · 0.0%	Unhealthy	0 · 0.0%
Very Unhealthy	0 · 0.0%	Hazardous	0 · 0.0%

Concentration trend

Primary visual · full width



DATA TREND

Trend unavailable. Trend not available

Total VOC - PID · Sensor 5569 — supporting analysis (continued)

Distribution analysis

Stacked full width

Concentration histogram — share of readings per concentration bin (ppm)

Insufficient data to calculate a concentration distribution.

Daily distribution — daily min–max range with mean (ppm)

Insufficient data to calculate daily ranges.

CONNECTED EVENTS

- No connected events were recorded in this report period.

Sound Intensity Level - Class II

Sensor 5595 · Concentration · dBA

SL052302

SENSOR DETAIL & KEY METRICS

EQUIP. NAME	EQUIPMENT ID	SENSOR ID
SL052302	**SL052302**	**5595**
PARAMETER	UNIT	LAST CALIBRATION
Concentration	**dBA**	**N/A**

EXCEEDANCES	EXCEEDED TIME	ALARM CONDITION	CONNECTED EVENTS
0	**N/A**	**N/A**	**0**

Air quality — not available

No categorisation for this parameter

No air-quality categorisation applies to this parameter, so only the concentration series is shown.

Concentration trend

Primary visual · full width



DATA TREND

Trend unavailable. Trend not available

Sound Intensity Level - Class II · Sensor 5595 — supporting analysis (continued)

Distribution analysis

Stacked full width

Concentration histogram — share of readings per concentration bin (dBA)

Insufficient data to calculate a concentration distribution.

Daily distribution — daily min–max range with mean (dBA)

Insufficient data to calculate daily ranges.

CONNECTED EVENTS

- No connected events were recorded in this report period.